



INSIGHT MCA CLASSES

Regd. No. 1014



9336108560

9936643758

(0512) 3914171

By GOPAL AGARWAL

M.Sc. 5 Years (IIT-Kanpur)

H.O. : 113/3-K Friends Colony, Swaroop Nagar, Kanpur- B.O. : Saket Nagar & Kakadeo, Kanpur

HCU MCA ENTRANCE 2014 QUESTION PAPER (ORIGINAL)

TIME: 2 HR. 1-25, (+2, -0.66) MARKS EACH, OTHERS (+1, -0.33) MARK EACH M.M.100

- There are 6 coins in a purse whose value is Rs. 1.15. The possible denominations of the coins are Rs 1, 50 ps, 25ps, 10ps, 5ps. Which denomination CANNOT be in the purse, if from the 6 coins, no change can be given for Rs 1, 50ps, 25ps, or 10ps? (a) 5ps (b) 25 ps (c) 10 ps (d) 50 ps (HCU-2014)
- Let X be a four-digit number that is a multiple of 9 with exactly three consecutive digits being same. How many such X s are possible? (HCU-2014) (a) 12 (b) 19 (c) 16 (d) 20
- Find 9 integers from 1 to 20 (both inclusive) such that no combination of any 3 of, the nine integers form an arithmetic progression. (a) 1, 2, 6, 7, 9, 14, 15, 18, 20 (b) 2, 3, 6, 8, 12, 15, 17, 18, 20 (c) 1, 2, 4, 7, 9, 14, 16, 19, 20 (d) 2, 3, 5, 8, 12, 15, 16, 19, 20 (HCU-2014)
- A hundred apples have to be divided between 25 people so that nobody gets an even number of apples. In how many ways can this be done? (a) 100 (b) 1 (c) 25 (d) 0
- Let $X = \{1, 2, 3, \dots, 3000\}$. What is the number of elements of X which are divisible by 3 or 11 but not by 33? (HCU-2014) (a) 1182 (b) 1272 (c) 1092 (d) 1091
- How many words can be made with letters of the word INTERMEDIATE if the positions of the vowels and consonants are preserved? (HCU-2014) (a) 151200 (b) 43200 (c) 21600 (d) 7200
- There are 51 houses on a street. Each house has an address between 1000 to 1099 (both inclusive). Which one of the following is definitely true?
I At least one house has an odd numbered address
II At least one house has an even numbered address
III There will be more than two houses with consecutive addresses
IV There will be more than two houses with consecutive addresses (HCU-2014) (a) I and III (b) I, II and III (c) II and III (d) I, II and IV
- Each of the three persons A, B and C belong to either TRUE family whose members always speak truth or FALSE family whose members always lie. If A says "Either I or B belong to a different family from the other two", which of the following is definitely true? (HCU-2014) (a) A belongs to TRUE family (b) C belongs to FALSE family (c) B belongs to TRUE family (d) B belongs to FALSE family
- How many ordered pairs of integers (a, b) are needed to guarantee that there are two ordered pairs (a_1, b_1) and (a_2, b_2) such that $a_1 \bmod 5 = a_2 \bmod 5$ and $b_1 \bmod 5 = b_2 \bmod 5$? (HCU-2014) (a) 13 (b) 26 (c) 16 (d) 25
- A student was asked to add the first few natural numbers (that is, $1 + 2 + 3 + \dots$) so long as her patience permitted. As she stopped, she gave the sum as 575. When the teacher declared the result wrong, the student discovered that she had missed one number in the sequence during addition. The number she missed was: (HCU-2014) (a) less than 10 (b) 15 (c) 10 (d) more than 15
- A five member research group is chosen from computer scientists (CS) A, B, C and D and mathematicians E, F, G and H. At least 3 CS must

- be in the research group. However (HCU-2014)
 A refuses to work with D
 B refuses to work with E
 F refuses to work with G
 D refuses to work with F
 If B or C is chosen which of the following is necessarily true.
 I. A is definitely chosen II. D is definitely chosen
 III. Either F or G is chosen.
 (a) I only (b) III only (c) II only (d) II and III only
12. How many binary strings of length 10 contain at least three 1's and at least three 0's ? (HCU-2014)
 (a) 672 (b) 11520 (c) 912 (d) 140
13. The first six Prime Ministers of a country had an average tenure of 6 years. What is the approximate tenure of the 7th Prime Minister if the average tenure of first nine Prime Ministers is 5.25 years and the duration of the tenure of the 7th, 8th, and 9th Prime Ministers are in the ratio 1:2:3 ? (HCU-2014)
 (a) 1 years 3 months 18 days (b) 2 years
 (c) 1 years 10 months 15 days (d) 1 year 6 months
14. The three words "MCA SCIS UH" are flashed on a digital sign board. The words individually are switched on from a switch-off position at regular intervals of 4, 7 and 9 second respectively. After they are switched on, the words are switched off after 2 sec, 3 sec and 4 sec respectively. If at time 't' all the words happened to switch off simultaneously, find the least time at which all three words will switch on simultaneously. (HCU-2014)
 (a) 252 sec (b) 94 sec (c) 126 sec (d) 38 sec
15. In the following multiplication, each * represents a digit. What is the multiplier ? (HCU-2014)
- $$\begin{array}{r}
 2\ 3\ 5 \\
 \times \quad * \ * \\
 * \ * \ * \ * \\
 * \ * \ * \ * \\
 * \ * \ 5\ 6 \ *
 \end{array}$$
- (a) 24 (b) 48 (c) 96 (d) 12
16. Now the time is 4 O' clock. By 5 O' clock, the minute hand overtakes the hour hand between 4 and 5. In 24 hours, that is by 4 O' clock tomorrow, how many times does the minute hand overtake the hour hand ? (HCU-2014)
 (a) 24 (b) 23 (c) 12 (d) 22
17. Ram and Shyam take a vacation at their grandparent's house. During the vacation, they do any activity together. The either played tennis in the evening or practiced Yoga in the morning, ensuring that they do not undertake both the activities on any single day. There were some days when they did nothing. Out of the days that they stayed at their grand-parent's house, they involved in one of the two activities on 22 days. How-ever their grandmother while sending an end of vacation report to their parents stated that they did not do anything on 24 mornings and they did nothing on 12 evenings. How long was their vacation ?
 (a) 36 days (b) 29 days (HCU-2014)
 (c) 14 days (d) cannot be determined
18. The product of the numbers 1 to 100 (both inclusive) is a huge number. What is the number of zeros that this number will have at the right hand end ?
 (a) 20 (b) 100 (c) 24 (d) 22 (HCU-2014)
19. a, b, c, d, and e are five consecutive integers in increasing order of size. Which one of the following expressions is not an odd number ? (HCU-2014)
 (a) $ab + c$ (b) $ab + d$ (c) $ac + d$ (d) $ac + e$
20. Think of any 3-digit number and write it down twice side-by-side to form a 6-digit number. Eg: if the number you think is 123, then 6-digit number is 123123. Which of the following is FALSE about such 6 digit number ? (HCU-2014)
 (a) They are always divisible by 3
 (b) They are always divisible by 11
 (c) They are always divisible by 7
 (d) They are always divisible by 13
21. Yana and Gupta leave from points x and y towards y and x respectively simultaneously and travel in the same route. After meeting each other on the way, Yana takes 4 hours to reach her destination, while Gupta takes 9 hours to reach his destination. If the speed of Yana is 48 km/hr, what is the speed of Gupta ? (HCU-2014)
 (a) 72 kmph (b) 20 kmph (c) 32 kmph (d) 30 kmph
22. A Car rental agency has the following rental plans. Plan A : If a car is rented for 5 hours or less the charge is Rs. 60 per hour or Rs. 12 per kilometer whichever is more. (HCU-2014)
 Plan B : If the car is rented for more than 5 hours,

the charge is Rs. 50 per hour or Rs. 7.50 per/km, whichever is more.

Atul rented a car from this agency, drove it for 30 kilometers and ended up paying Rs. 300. For how many hours did he rent the car ?

- (a) 3 (b) 5 (c) 4 (d) 6

Read the following passage and answer the 23-25 based on this passage by choosing the most suitable answer to the question:

Natural selection cannot possibly produce any modification in a species exclusively for the good of another species though throughout nature one species incessantly takes advantage of, and profits by, the structures of other. But natural selection does often produce structures for the direct injury of other animals, as we see in the fang of the adder. If it could be proved that any part of the structure of any one species, had been formed for the exclusive good of another species, it would annihilate my theory. It is admitted that the rattle snake has a poison fang for its own defence, but some authors suppose that at the same time it is furnished with a rattle, to warn its prey. I would almost as soon believe that the cat curls its end of its tail when preparing to spring, in order to warn the doomed mouse. It is a much more probable view that the rattle snake uses its rattle, in order to alarm the many birds and beasts which are known to attack even the most venomous species. (Charles Darwin in The Origin of Species.)

23. What, according to the author is a contradiction to the theory of Natural selection ? **(HCU-2014)**
 (a) Natural selection creates changes in a species so that it helps other species
 (b) Natural selection creates changes in a species so that it can defend itself
 (c) Natural selection creates changes in a species so that it can harm other
 (d) None of the above
24. Why, according to the author, does the rattle snake have a rattle ? **(HCU-2014)**
 (a) To warn its prey (b) to scare any attacker
 (c) in self defence (d) for no reason
25. From the passage give an example of a structure that is produced to cause direct harm to other animals. **(HCU-2014)**

- (a) rattle of a rattle snake
 (b) poison fang of a snake
 (c) curl of a cat's tail (d) fang of the adder

Part B

26. Find the minimum and maximum values of the function $(10 \cos \theta + 24 \sin \theta)$ **(HCU-2014)**
 (a) -10, 24 (b) -26, 26 (c) -25, 25 (d) 10, 24
27. Find a value of $\sqrt{2 + \sqrt{2 + 2 \cos 4\theta}}$ **(HCU-2014)**
 (a) $2 \cos 2\theta$ (b) $2 \cos \theta$ (c) $\cos 2\theta$ (d) $\sin 2\theta$
28. The value of $\sin(2 \sin^{-1}(0.6))$ **(HCU-2014)**
 (a) 0.96 (b) 0.48 (c) $\sin(1.2)$ (d) $\sin(1.6)$
29. If α is a non-real root of $x^6 = 1$, then evaluate $\frac{\alpha^5 + \alpha^3 + \alpha + 1}{\alpha^2 + 1}$ **(HCU-2014)**
 (a) α^2 (b) α (c) 0 (d) $-\alpha^2$
30. The solution set of $(5 + 4 \cos \theta)(2 \cos \theta + 1) = 0$ in the interval $[0, 2\pi]$ is **(HCU-2014)**
 (a) $\{\pi/3, \pi\}$ (b) $\{2\pi/3, 4\pi/3\}$
 (c) $\{\pi/3, 2\pi/3\}$ (d) $\{2\pi/3, 5\pi/3\}$
31. If $\cos \theta - 4 \sin \theta = 1$, find $\sin \theta + 4 \cos \theta$ **(HCU-2014)**
 (a) ± 1 (b) ± 2 (c) 0 (d) ± 4
32. Let $f(x) = \frac{1}{\sqrt{1-x}} + \frac{1}{\sqrt{x+3}}$. Then the domain of the real function f is **(HCU-2014)**
 (a) $(-\infty, -3) \cup (1, \infty)$ (b) $(-\infty, 1) \cap (-3, \infty)$
 (c) $(1, \infty)$ (d) $x \neq 1, x \neq -3$
33. Consider $x^2 - 3x - 2 < 10 - 2x$. This inequality holds when **(HCU-2014)**
 (a) $x > 4$ and $x < -3$ (b) $x < 2$ and $x > -3$
 (c) $x < 4$ and $x > -3$ (d) $x^2 = 12$

34. $\lim_{x \rightarrow 4} \frac{\sqrt{x} - 2}{4 - x} = ?$ (HCU-2014)
 (a) $-1/2$ (b) 0 (c) $-1/4$ (d) $1/\sqrt{2}$
35. $f(x) = \sum_{n=1}^m (x-n)^2$ has a minimum at x_0 . Then $x_0 = ?$ (HCU-2014)
 (a) $1 + \frac{1}{2} + \frac{1}{3} + \dots + \frac{1}{m}$ (b) $\frac{m+1}{2}$
 (c) $\frac{m(m+1)}{2}$ (d) $\frac{1}{m} \left(1 + \frac{1}{2} + \frac{1}{3} + \dots + \frac{1}{m} \right)$
36. The number of surjections from $A = \{1, 2, 3, \dots, n\}$, $n \geq 2$ onto $B = \{a, b\}$ is (HCU-2014)
 (a) $\binom{n}{2}$ (b) $2^n - 2$ (c) ${}^n P_2$ (d) $2^n - 1$
37. Let ϕ denote the null set and $P(S)$ denote the power set of S . Then how many elements does $P(P(\phi))$ have? (HCU-2014)
 (a) 0 (b) 2 (c) 1 (d) 3
38. In a town of 10,000 families, it was found that 40% families buy newspaper A, 20% buy newspaper B, 10% buy newspaper C, 5% buy A and B, 3% buy B and C, and 4% buy A and C. If 2% buy all the newspapers, then the number of families who do not buy any of the newspapers A, B, C is (a) 3300 (b) 4000 (c) 1400 (d) 1200 (HCU-2014)
39. Suppose $f(n) = \left(1 + \frac{1}{n}\right)^n$, $n \in N$, $n \geq 2$. Then (a) $1 < f(n) < 2$ (b) $3 < f(n) < 4$
 (c) $2 < f(n) < 3$ (d) $0 < f(n) < 1$ (HCU-2014)
40. Number of relations on a set of n elements is equal to (HCU-2014)
 (a) n^2 (b) 2^{n^2} (c) 2^n (d) n
41. If $[x]$ denotes the integer part of x , then $\int_1^3 \left[\sqrt{[x^2]} \right] dx$ is equal to (HCU-2014)

- (a) 4 (b) 1 (c) $\sqrt{2} - 1$ (d) 3
42. $\sum_{k=1}^n \frac{1}{k(k+1)}$ is equal to (HCU-2014)
 (a) $\frac{1}{n}$ (b) $\frac{n}{n+1}$ (c) $\frac{n}{n+1}$ (d) $\frac{1}{n(n+1)}$
43. If $\int_{12}^{-10} f(x) dx = 6$, $\int_{100}^{-10} f(x) dx = -2$ and $\int_{100}^{-5} f(x) dx = 4$ then $\int_{-5}^{12} f(x) dx = ?$
 (a) 0 (b) 4 (c) -12 (d) -2 (HCU-2014)
44. Find $\int_{-3}^{-2} \frac{dx}{x}$ (HCU-2014)
 (a) $\log 2 - \log 3$ (b) undefined
 (c) $\log 3 - \log 2$ (d) 1
45. The value of the integral $\int_0^{\pi/9} \frac{\sec 3x \tan 3x}{(2 + \sec 3x)^{1/3}} dx$ is equal to (HCU-2014)
 (a) $\frac{1}{2} \left(4^{2/3} - (2 + \sqrt{2})^{2/3} \right)$ (b) $\frac{1}{2} \left(4^{2/3} - (2^{2/3}) \right)$
 (c) $\frac{1}{2} \left(4^{2/3} - 3^{2/3} \right)$ (d) $\frac{1}{2} \left(4^{2/3} - (\sqrt{3})^{2/3} \right)$
46. Derivative of $\sin x^2$ with respect to $2x^2$ is (a) $\frac{1}{2} \cos^2 x$ (b) $2 \cos x^2$
 (c) $\cos \left(\frac{\pi^2}{2} \right)$ (d) $\frac{1}{2} \cos x^2$ (HCU-2014)
47. Find dy/dx if $y = \int_{\sin x}^{x^2} (1+t) dt$ (HCU-2014)
 (a) $2x(1+x^2) - \cos x(1 + \sin x)$
 (b) $x^2 \left(1 + \frac{x^2}{2} \right) - \sin x(1 + \sin^2 x/2)$
 (c) $x^2 - \sin x$ (d) $2x - \cos x$

48. Determine the set of all the values of α for which the point (α, α^2) lies inside the triangle formed by the lines **(HCU-2014)**

$$2x + 3y - 1 = 0$$

$$x + 2y - 3 = 0$$

$$5x - 6y - 1 = 0$$

- (a) $\left(\frac{-3}{2}, -1\right) \cup \left(\frac{1}{2}, 1\right)$ (b) $\left(\frac{-3}{2}, 1\right)$
 (c) $\left(\frac{-3}{2}, \frac{1}{3}\right) \cup \left(\frac{1}{2}, 1\right)$ (d) $(-1, 1)$
49. A ray of light is sent along the line $x - 2y - 3 = 0$. On reaching the line $3x - 2y - 5 = 0$, the ray is reflected from it. Find the equation of the line containing the reflected ray. **(HCU-2014)**
 (a) $29x - 2y - 31 = 0$ (b) $2x + 3y - 5 = 0$
 (c) $2x + y - 3 = 0$ (d) $2x + 29y - 31 = 0$

50. In a triangle ABC, where $A = (-4, 2)$, $B = (2, 1)$ and $C = (-4, -5)$ find $\angle ACB$. **(HCU-2014)**
 (a) 30° (b) 25° (c) 45° (d) 60°

51. The length and breadth of a rectangle formed by the lines $x + y = 5$, $x - y = 0$ and $x + y = 10$ and $x - y = 4$ is **(HCU-2014)**
 (a) $2\sqrt{2}, \sqrt{12.5}$ (b) $1, 10$
 (c) $4, 5$ (d) $\sqrt{12.5}, \sqrt{20.5}$

52. From the top of a mountain of 60m height, the angles of depression of the top and the bottom of a tower are observed to be 30° and 60° respectively. Find the height of the tower. **(HCU-2014)**
 (a) 40m (b) 55m (c) 50m (d) 30m

53. In a convex pentagon ABCDE, the sides have lengths 1, 2, 3, 4 and 5 though not necessarily in that order. Let F, G, H, and I be the mid-points of the sides AB, BC, CD and DE respectively. Let X be the mid-point of segment FH, and Y be the mid-point of segment GI. The length of segment XY is an integer. Find all the possible values for the length of side AB. **(HCU-2014)**
 (a) 1 or 2 (b) 3 only (c) 2 or 4 (d) 4 only

54. Consider the matrix **(HCU-2014)**

$$A = \begin{bmatrix} -2 & 2 & -3 \\ 2 & 1 & -6 \\ -1 & -2 & 0 \end{bmatrix}$$

Which of the following vectors are eigen vectors of A with respect to the eigen value -3 ?

$$x_1 = \begin{bmatrix} 1 \\ 2 \\ -1 \end{bmatrix}, \quad x_2 = \begin{bmatrix} -2 \\ 1 \\ 0 \end{bmatrix}, \quad x_3 = \begin{bmatrix} 3 \\ 0 \\ 1 \end{bmatrix}$$

- (a) x_1, x_2 (b) x_2, x_3
 (c) x_2 only (d) x_1, x_2 and x_3
55. If the system of equations **(HCU-2014)**
 $ax + y + z = 0$,
 $x + by + z = 0$
 and $x + y + cz = 0$, ($a, b, c \neq 1$) has a non-trivial

solution, then the value of $\frac{a}{1-a} + \frac{1}{1-b} + \frac{1}{1-c} = ?$
 (a) a (b) 0 (c) 1 (d) -1

56. For the matrix

$$A = \begin{bmatrix} 1 & -4 & 2 & -2 \\ 4 & 7 & -3 & 5 \\ 3 & 0 & 8 & 0 \\ -5 & -1 & 6 & 9 \end{bmatrix}$$

the co-factor A_{31} is **(HCU-2014)**
 (a) 14 (b) 204 (c) -14 (d) 250

57. Consider the matrix

$$A = \begin{bmatrix} 1 & -2 & 2 \\ 0 & 2 & 0 \\ 1 & 1 & 3 \end{bmatrix} \text{ (HCU-2014)}$$

Then $A^3 - 9A$ is
 (a) an identity matrix (b) a diagonal matrix
 (c) a matrix with all entries 10
 (d) a matrix with all entries 0

58. The determinant of the matrix **(HCU-2014)**

$$\begin{vmatrix} a^2 & a & 1 \\ \cos(nx) & \cos(n+1)x & \cos(n+2)x \\ \sin(nx) & \sin(n+1)x & \sin(n+2)x \end{vmatrix}$$

is independent of

- (a) n (b) x (c) a (d) N.O.T.

59. $f(x) = \begin{vmatrix} x & 8 & 8 \\ 2 & x & 8 \\ 2 & 2 & x \end{vmatrix}$ has local maximum at ?

(HCU-2014)

- (a) 4 (b) 16 (c) -4 (d) $\sqrt{8^2 - 2^2}$

60. The general solution of the differential equation

$$\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + y = e^{2x} \text{ is}$$

- (a) $(c_1 + c_2x)e^x + e^{2x}$ (b) $c_1xe^x + e^{2x}$
 (c) $c_1e^x + e^{2x}$ (d) $(c_1 + c_2x)e^x + 2e^{2x}$

61. The differential equation for all circles passing through the origin and having centres on the x-axis is

- (a) $x^2 - y^2 + 2xy \frac{dy}{dx} = 0$
 (b) $x^2 + y^2 + 2xy \frac{dy}{dx} = 0$
 (c) $x^2 - y^2 - 2xy \frac{dy}{dx} = 0$
 (d) $x^2 + y^2 - 2xy \frac{dy}{dx} = 0$ **(HCU-2014)**

62. Representation of $\frac{-27}{32}$ in 2's complement form

assuming 8 bits are used to represent is

- (a) 0.1101100 (b) 1.110110
 (c) 1.0010100 (d) 0.0010100

63. The value of $(FAC)_{16} - (786)_{16}$ in base 8 is **(HCU-2014)**

- (a) 4046 (b) 726 (c) 2076 (d) 4166

64. If the equation $x^2 - 25x + 156 = 0$ has roots $(9)_{10}$ and $(10)_{10}$, in which base is the equation represented? **(HCU-2014)**

- (a) 11 (b) 8 (c) 7 (d) 9

65. An n-digit decimal number is encoded in binary from as follows: every odd numbered digit from the most significant digit is encoded using Binary Coded Decimal (BCD) form and the rest of the even numbered digits are encoded using 4-bit Gray code. What is the encoded form for the decimal number 8743? **(HCU-2014)**

- (a) 1000 0100 0010 0010
 (b) 1000 0101 0100 0010
 (c) 1000 0101 0010 0010
 (d) 1000 0100 0100 0010

Consider the flowchart given in Figure 1 and answer the questions 66-68.




FIGURE 1 : Flow Chart

The function REVERSE (N) reverses the digits of the number N

66. If $N = 255$ what is the value of A when the algorithm halts ? **(HCU-2014)**
 (a) 1515 (b) 5151 (c) 6666 (d) 5555
67. If $N = 75$. What is the sum of the digits of N when the algorithm halts ? **(HCU-2014)**
 (a) 6 (b) 18 (c) 12 (d) 24
68. If $N = 255$, how many times is the statement $A = N$ executed ? **(HCU-2014)**
 (a) 3 (b) 5 (c) 2 (d) 4
69. A, B, C and D are playing a card game which has many rounds. In each round A, B, C and D cut a pack of 52 cards successively in the given order. What is the probability that A cuts a spade first in the game ? What is the probability that B cuts a spade first ? **(HCU-2014)**
 (a) $\frac{1}{4}, \frac{1}{4}$ (b) $\frac{3}{4}, \frac{1}{4}$
 (c) $\frac{64}{175}, \frac{48}{175}$ (d) $\frac{64}{255}, \frac{48}{255}$
70. Let A and B be two events such that the probabilities $\Pr(A' \cap B) = 0.20$ and $\Pr(A \cap B) = 0.15$. Find $\Pr(A / B)$. **(HCU-2014)**
 (a) 3/4 (b) 4/7 (c) 1/4 (d) 3/7
71. A purse contains a 1-rupee coin and three 1-dollar coins, a second purse contains two 1-rupee coins and four 1-dollar coins, and a third purse contains three 1-rupee coins and a 1-dollar coin. If a coin is taken out from one of the purses selected at random, find the probability that it is a rupee.
 (a) 4/9 (b) 1/9 (c) 1/12 (d) 1/4 **(HCU-2014)**
72. A box contains 50 bolts and 150 nuts. Half of the bolts and half of the nuts are rusted. If one item is chosen at random, then the probability that it is rusted or is a bolt is **(HCU-2014)**
 (a) 2/4 (b) 5/8 (c) 3/4 (d) 5/6
73. Suppose M is the mode and S^2 the variance of n observations. If a positive constant 'a' is added to all the observations, the mode and variance of these observations will be respectively **(HCU-2014)**
 (a) M, S^2 (b) $M + a, S^2 + a$
 (c) $M - a, S^2$ (d) $M + a, S^2$
74. Using only the probabilities $\Pr(A \cup B)$ and $\Pr(A \cap B)$, which of the following probabilities cannot be calculated ? **(HCU-2014)**
 (a) $\Pr(A \Delta B)$ (b) $\Pr(A' \cap B')$
 (c) $\Pr(A' \cup B')$ (d) $\Pr(B)$
75. A normal 8×8 chess-board is made up of 64 black and white cells. A smaller square is being cut randomly such that the cut is made only along the boundaries of the cells. What is the probability of getting a 4×4 square ? **(HCU-2014)**
 (a) 16/204 (b) 4/64 (c) 16/203 (d) 4/16

HCU 2014 Answer

- 1-(a) 11-(b) 21-(c) 31-(d) 41-(d) 51-(a) 61-(a)
 2-(c) 12-(c) 22-(d) 32-(b) 42-(b) 52-(a) 62-(c)
 3-(a) 13-(c) 23-(b) 33-(c) 43-(c) 53-(b) 63-(a)
 4-(d) 14-(a) 24-(a) 34-(c) 44-(a) 54-(b) 64-(c)
 5-(a) 15-(c) 25-(d) 35-(c) 45-(c) 55-(b) 65-(d)
 6-(c) 16-(d) 26-(b) 36-(b) 46-(d) 56-(a) 66-(c)
 7-(b) 17-(d) 27-(c) 37-(b) 47-(a) 57-(b) 67-(c)
 8-(c) 18-(c) 28-(a) 38-(b) 48-(a) 58-(a) 68-(d)
 9-(b) 19-(d) 29-(d) 39-(c) 49-(a) 59-(c) 69-(c)
 10-(d) 20-(a) 30-(b) 40-(b) 50-(c) 60-(a) 70-(d)
 71- (a) 72-(b) 73-(d) 74-(d) 75-(wrong)